


PLAN REVIEW CRITERIA FOR INSTALLATION OF FPL, AT&T, COMCAST & GAS UTILITIES

Please verify that all the following applicable items shown are accompanied in the submittal of your Engineering package:

- Permit Application:
- Letter of Transmittal:
- 4 sets of plans on 11"X17" paper:
- Provide an approved M.O.T. (if applicable): Include copy of qualifier.
- Show all proposed and existing utilities on the plan:
- Provide profile when boring under utilities, driveway, canal, etc.....
- All proposed utilities shall be shown in bold print and existing shall be shown in a gray scale.
- Maintain a minimum of 6' feet horizontal separation between water and sewer utility systems:
- Maintain a minimum 18" vertical separation for all utilities:
- Label and call out method of construction; example: trenching/ boring/ aerial/ underground, etc.....
- Provide a sketch, vicinity or location map on the drawing:
- Provide a North arrow on the drawing:
- Show right-of-way line and existing easements:
- Identify the road jurisdiction(s) in which the work is being done, (County, City, State or D.O.T.):
- Provide a legend identifying all symbols in the drawing:
- Indicate structures such as poles & cabinets as new or existing:
- No permanent structures shall be placed on or above existing water and sewer systems as well as Tamarac Exclusive easements:
- A copy of the approved permit and M.O.T. is required if the work being done is within County, D.O.T. or State jurisdiction. The permit will not be approved without these copies. All outside agency permits associated with City of Tamarac permits will be required prior to approval.
- Provide the start location point and finish location point of the work to be conducted. Stationing is also accepted.
- All structures such as cabinets, pedestals, transformers, etc... must be in an existing easement. Verify prior to submitting for a permit.



The following notes must be present on drawings submitted for review:

- Call Sunshine State One Call of Florida, Inc. at 1-800-432-4770 to request a locate of any underground facilities at your excavation site:
- For Storm Water locates, please contact the City of Tamarac Storm Water Division at (954)597-3700: Private facilities will not be located by the City only public facilities.
- It is recommended that hand digging, soft digging, vacuum excavation, etc. be used in the 24" tolerance zone to expose the underground facilities:
- Contractor to provide a notice of commencement to the permit agency Engineering Department 24hrs prior to beginning construction:
- City of Tamarac has a noise ordinance that prohibits the use of heavy equipment before 8 a.m.:
- Maintain 18" vertical clearance, 6' horizontal clearance between existing utilities and a min of 18" of cover:
- It is required that a pre-construction meeting be held in the field at the job site 24-48hrs prior to the start of construction.
- Notification to local residences that will be affected by construction will be necessary 48 hrs prior to the start of any activity.
- All sidewalk closures require a sidewalk M.O.T.
- For sidewalk repairs, refer to the City of Tamarac standard detail for sidewalks. The entire flag must be replaced joint to joint.

Note: As-built information is available upon request! All drawings provided by the City of Tamarac such as plats, as-built drawings, or GIS maps are for your use but it is the responsibility of the contractor to field verify all elevations and utilities expressed in the drawings. All information provided is for reference and is in no way guaranteed by the City of Tamarac for accuracy.

Please be sure that prior to completion of work that a final inspection is set up so that the project can be properly evaluated by the City inspector and the permit can be closed. Failure to call for a final inspection(s) may result in delays for future permit submittals.

Engineering inspection requests are to be called into the Building Department.

[INSPECTION REQUEST TELEPHONE NUMBER: \(954\) 597-3430](tel:(954)597-3430)

Note: All inspections must be called in by 3:00 p.m. to be considered for the next day. Any calls after 3:00 p.m. will be scheduled for the following day.

*Required Inspection code for Public Utility Final Inspection: W265